

SEQUENCE LISTING



<110> Nielsen, Peter E.

<120> Peptide Nucleic Acids Having Antibacterial Activity

<130> ISIS-3292

<140> 09/486,623

<141> 2000-07-06

<150> 08/932,140

<151> 1997-09-16

<160> 30

<170> PatentIn version 3.2

<210> 1

<211> 14

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<400> 1

tgaccatgat tacg 14

<210> 2

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<400> 2

tacgtgtttc ctgtgtg 17

<210> 3

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<400> 3

gagtattcaa catttcc 17

<210> 4

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<400> 4

attgtcttcc tttttca 17

<210> 5

<211> 15

<212> DNA

<213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (1)..(14)
 <223> Modified site. N-[acetyl(2-aminoethyl)] glycine backbone

<220>
 <221> misc_feature
 <222> (15)..(15)
 <223> Modified site. N-[acetyl(2-aminoethyl)]-C-lysine-glycine backbone

<400> 5
 ggatcatagct gtttc 15

<210> 6
 <211> 15
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (1)..(14)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<220>
 <221> misc_feature
 <222> (15)..(15)
 <223> Modified site. N-[acetyl(2-aminoethyl)]-C-lysine-glycine backbone

<400> 6
 tactcactact cttcc 15

<210> 7
 <211> 15
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (1)..(14)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<220>
 <221> misc_feature
 <222> (15)..(15)
 <223> Modified site. N-[acetyl(2-aminoethyl)]-C-lysine-glycine backbone

<400> 7
 gaatactcat actct 15

<210> 8
 <211> 15
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (1)..(14)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (15)..(15)
 <223> Modified site. N-[acetyl(2-aminoethyl)]-C-lysine-glycine backbone

 <400> 8
 acgccacatc ttcgc

15

<210> 9
 <211> 15
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<220>
 <221> misc_feature
 <222> (2)..(4)
 <223> Modified Site. N-pseudo isocytosine-acetyl (2-aminoethyl) glycine backbone

<220>
 <221> misc_feature
 <222> (5)..(6)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<220>
 <221> misc_feature
 <222> (7)..(7)
 <223> Modified Site. N-pseudo isocytosine-acetyl (2-aminoethyl) glycine backbone

<220>
 <221> misc_feature
 <222> (8)..(8)
 <223> Modified Site. (O-2-aminoethyl-O'-acetyl-ethyleneglycol),
 (O-2-aminoethyl-O'-acetyl-ethyleneglycol),
 (O-2-aminoethyl-O'-acetyl-ethyleneglycol)

<220>
 <221> misc_feature
 <222> (9)..(14)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<220>
 <221> misc_feature
 <222> (15)..(15)
 <223> Modified Site. N-[acetyl (2-aminoethyl)] -C-lysine-glycine backbone

<400> 9
 tnnnttnnct tcct

15

<210> 10
 <211> 15

```

<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(1)
<223> Modified Site. N-pseudo isocytosine-acetyl (2-aminoethyl)
glycine backbone

<220>
<221> misc_feature
<222> (2)..(4)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<220>
<221> misc_feature
<222> (5)..(6)
<223> Modified Site. N-pseudo isocytosine-acetyl (2-aminoethyl)
glycine backbone

<220>
<221> misc_feature
<222> (7)..(7)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<220>
<221> misc_feature
<222> (8)..(8)
<223> Modified Site. (O-2-aminoethyl-O'-acetyl-ethyleneglycol),
(O-2-aminoethyl-O'-acetyl-ethyleneglycol),
(O-2-aminoethyl-O'-acetyl-ethyleneglycol)

<220>
<221> misc_feature
<222> (9)..(14)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<400> 10
ntttntntc ctttc
15

<210> 11
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(14)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<220>
<221> misc_feature
<222> (15)..(15)
<223> Modified Site. N-[acetyl (2-aminoethyl)]-C-lysine-glycine
backbone

<400> 11
catactcttt ctcct
15

<210> 12
<211> 25

```

<212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic construct

 <220>
 <221> misc_feature
 <222> (1)..(2)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (3)..(3)
 <223> Modified Site. N-pseudo isocytosine-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (4)..(4)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (5)..(7)
 <223> Modified Site. N-pseudo isocytosine-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (8)..(10)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (11)..(11)
 <223> Modified Site. N-pseudo isocytosine-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (12)..(12)
 <223> Modified Site. (O-2-aminoethyl-O'-acetyl-ethyleneglycol),
 (O-2-aminoethyl-O'acetyl-ethyleneglycol),
 (O-2-aminoethyl-O'-acetyl-ethyleneglycol)

 <220>
 <221> misc_feature
 <222> (13)..(24)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (25)..(25)
 <223> Modified Site. N- [acetyl (2-aminoethyl)]-C-lysine-glycine backbone

 <400> 12
 ttntnnnttt ntntctttcc gtctt

25

<210> 13
 <211> 15
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic construct

```

<220>
<221> misc_feature
<222> (1)..(1)
<223> Modified Site. N-pseudo isocytosine-acetyl (2-aminoethyl)
glycine backbone

<220>
<221> misc_feature
<222> (2)..(2)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<220>
<221> misc_feature
<222> (3)..(3)
<223> Modified Site. N-pseudo isocytosine-acetyl (2-aminoethyl)
glycine backbone

<220>
<221> misc_feature
<222> (4)..(4)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<220>
<221> misc_feature
<222> (5)..(6)
<223> Modified Site. N-pseudo isocytosine-acetyl (2-aminoethyl) glycine
backbone

<220>
<221> misc_feature
<222> (7)..(7)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<220>
<221> misc_feature
<222> (8)..(8)
<223> Modified Site.
(O-2-aminoethyl-O'-acetyl-ethyleneglycol), (O-2-aminoethyl-O'-ac
etyl-ethyleneglycol), (O-2-aminoethyl-O'-acetyl-ethyleneglycol)

<220>
<221> misc_feature
<222> (9)..(14)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<220>
<221> misc_feature
<222> (15)..(15)
<223> Modified Site. N-[acetyl (2-aminoethyl)]-C-lysine-glycine
backbone

<400> 13
ntntnntntc ctctc

```

15

```

<210> 14
<211> 12
<212> DNA
<213> Artificial Sequence

```

```

<220>
<223> Synthetic construct

```

```

<220>
<221> misc_feature
<222> (1)..(11)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

```

```

<220>
<221> misc_feature

```

<222> (12)..(12)
 <223> Modified Site. N-[acetyl (2-aminoethyl)]-C-lysine-glycine backbone

 <400> 14
 cccctattgt cc 12

 <210> 15
 <211> 12
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic construct

 <220>
 <221> misc_feature
 <222> (1)..(11)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (12)..(12)
 <223> Modified Site. N- [acetyl (2-aminoethyl)]-C-lysine-glycine backbone

 <400> 15
 ttctgccttt ct 12

 <210> 16
 <211> 8
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic construct

 <220>
 <221> misc_feature
 <222> (1)..(7)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (8)..(8)
 <223> Modified Site. N- [acetyl (2-aminoethyl)]-C-lysine-glycine backbone

 <400> 16
 ctcgaggt 8

 <210> 17
 <211> 5
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic construct

 <220>
 <221> misc_feature
 <222> (1)..(4)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

 <220>

<221> misc_feature
 <222> (5)..(5)
 <223> Modified Site. N- [acetyl (2-aminoethyl)]-C-lysine-glycine backbone

 <400> 17
 taaac 5

 <210> 18
 <211> 10
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic construct

 <220>
 <221> misc_feature
 <222> (1)..(9)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (10)..(10)
 <223> Modified Site. N-[acetyl (2-aminoethyl)]-C-lysine-glycine backbone

 <400> 18
 aaggaggtga 10

 <210> 19
 <211> 15
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic construct

 <220>
 <221> misc_feature
 <222> (1)..(7)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (8)..(8)
 <223> Modified Site. (O-2-aminoethyl-O'-acetyl-ethyleneglycol),
 (O-2-aminoethyl-O'-acetyl-ethyleneglycol), (O-2-aminoethyl-O'-acetyl-ethyleneglycol)

 <220>
 <221> misc_feature
 <222> (9)..(14)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (15)..(15)
 <223> Modified Site. N-[acetyl (2-aminoethyl)]-C-lysine-glycine backbone

 <400> 19
 tctctttntt tctct 15

 <210> 20
 <211> 15

<212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic construct

 <220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (2)..(2)
 <223> Modified Site. N-pseudo isocytosine-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (3)..(3)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (4)..(7)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (8)..(8)
 <223> Modified Site. (O-2-aminoethyl-O'-acetyl-ethyleneglycol),
 (O-2-aminoethyl-O'-acetyl-ethyleneglycol), (O-2-aminoethyl-O'-acet
 yl-ethyleneglycol)

 <220>
 <221> misc_feature
 <222> (9)..(14)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (15)..(15)
 <223> Modified Site. N-[acetyl (2-aminoethyl)]-C-lysine-glycine backbone

 <400> 20
 tntntttntt tctct

15

<210> 21
 <211> 15
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic construct

 <220>
 <221> misc_feature
 <222> (1)..(14)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

 <220>
 <221> misc_feature
 <222> (15)..(15)
 <223> Modified Site. N-[acetyl (2-aminoethyl)]-C-lysine-glycine backbone

 <400> 21

aggtgtcagc gaacg 15

<210> 22
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(14)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<220>
<221> misc_feature
<222> (15)..(15)
<223> Modified Site. N-[acetyl (2-aminoethyl)]-C-lysine-glycine backbone

<400> 22
ctttgtcgat actgg 15

<210> 23
<211> 14
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(14)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<400> 23
gtcatagctg tttc 14

<210> 24
<211> 11
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(11)
<223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<400> 24
catagctgtt c 11

<210> 25
<211> 10
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
 <221> misc_feature
 <222> (1)..(10)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

 <400> 25
 tagctgtttc

10

<210> 26
 <211> 8
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (1)..(8)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

 <400> 26
 gctgtttc

8

<210> 27
 <211> 15
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (1)..(14)
 <223> Modified Site. N-acetyl (2-aminoethyl) glycine backbone

<220>
 <221> misc_feature
 <222> (15)..(15)
 <223> Modified Site. N-[acetyl (2-aminoethyl)]-C-lysine-glycine backbone

<400> 27
 acattcacca ccctg

15

<210> 28
 <211> 27
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<400> 28
 aaaggaagag uaugaguaau caacauu

27

<210> 29
 <211> 27
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

RECEIVED
 MAY 09 2003
 TECH CENTER 1600/2900

<400> 29
aaaggaagac aaugaguauu caacauu

27

<210> 30
<211> 27
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic constuct

<400> 30
aaaggaggcc uaugucgauu caacauu

27